Telefax: +49 (621) 8504200

Telephone: +49 (621) 8504303



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhepanol-Kleber 9

UFI: FQQG-WDVP-9003-2E9R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

adhesives

Uses advised against

Only use for the intended purpose.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name: FDT Flachdach Technologie GmbH

Street: Eisenbahnstraße 6-8 Place: D-68199 Mannheim Telephone: +49 (621) 8504100

kundenservice@fdt.de e-mail:

Contact person: Fachkraft für Arbeitssicherheit

e-mail: gefahrstoffe@fdt.de Internet: http://www.fdt.de

Responsible Department: Arbeitssicherheit und Umweltschutz

1.4. Emergency telephone Emergency Action: In the event of a medical enquiry involving this product,

please contact your doctor or local hospital accident and emergency department number:

or the NHS enquiry service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling **METHYLISOTHIAZOLINONE**

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 2 of 8

P501

Dispose of contents/container according to regional/national regulations. Do not discard with household waste.

2.3. Other hazards

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification			
2682-20-4	2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE)		0,0015 - < 0 %	
	220-239-6	613-326-00-9		
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE)	0,0015 - < 0 %
	Skin Sens. 1A; H317: >= 0,0015 - 100 M akut; H400: M=10 M chron.; H410: M=1		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Possible irritation in case of eye contact and possible irritation / allergic reactions in case of skin contact.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 3 of 8

Suitable extinguishing media

Carbon dioxide (CO2). Sand. Extinguishing powder. Water spray.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to harmful gases and vapours.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal precautions: refer to section 8

Safe handling: see section 7 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautionary measures are necessary.

Advice on protection against fire and explosion

No special precautionary measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

Further information on storage conditions

Protect from frost.

7.3. Specific end use(s)

adhesives

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Currently there are no further exposure limits available.

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 4 of 8

a suitable cleaning agent.

Eye/face protection

no special requirements

Hand protection

Protect skin by using skin protective cream. Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended material: Recommendation direct, prolonged contact: Protective index 6, penetration time > 480 min, e.g. nitrile rubber 0.4 mm

Skin protection

no special requirements

Respiratory protection

no special requirements

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: viscous
Colour: white
Odour: characteristic

Test method

pH-Value (at 20 °C): 7,8 ISO 976

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: 100 °C Flash point: not applicable

Flammability

Gas: not determined

Explosive properties

none known

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,32 g/cm³ EN ISO 2811-1

Water solubility: completely miscible
Partition coefficient: not determined

Viscosity / dynamic: 12000 mPa·s ISO 2555

(at 20 °C)

Viscosity / kinematic: not determined Vapour density: not determined



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 5 of 8

Solvent content: not determined

9.2. Other information

No further information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name			
	Exposure route	Dose	Species	Source	Method
2682-20-4	2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE)				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 6 of 8

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 7 of 8

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Additional information

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Version 1,00 - Creation - 26.04.2011

Version 1,01 - Classification/Labeling according Regulation No.1272/2008 (GHS/CLP) and general revision -

15.06.2015

Version 1,02 - General update - 21.01.2021

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service

DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm



according to Regulation (EC) No 1907/2006

Rhepanol-Kleber 9

Revision date: 21.01.2021 Product code: FDT-002 Page 8 of 8

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in

Bulk

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization

CLP: Classification, Labeling, Packaging

IUCLID: International Uniform Chemical Information Database

LC: Lethal concentration

LD: Lethal dose

log Kow: Octanol/water partition coefficient

MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, bio-cumulative, toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bio-cumulative

WGK: German Water Hazard Class

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

AwSV: Ordinance on Installations for Handling Substances Hazardous to Water

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H301	TOXIC IT SWallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)