

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhenofol-Schweißpaste SB

UFI: 68SJ-93CY-M00S-8KP4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

sealant

Uses advised against

Only use for the intended purpose.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	FDT Flachdach Technologie GmbH	
Street:	Eisenbahnstraße 6-8	
Place:	D-68199 Mannheim	
Telephone:	+49 (621) 8504100	Telefax: +49 (621) 8504200
e-mail:	kundenservice@fdt.de	
Contact person:	Fachkraft für Arbeitssicherheit	Telephone: +49 (621) 8504303
e-mail:	gefahrstoffe@fdt.de	
Internet:	http://www.fdt.de	
Responsible Department:	Arbeitssicherheit und Umweltschutz	

1.4. Emergency telephone number:

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

May cause respiratory irritation.

May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

tetrahydrofuran

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 2 of 12

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.

Special labelling of certain mixtures

EUH019	May form explosive peroxides.
--------	-------------------------------

2.3. Other hazards

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with harmless additions.

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
109-99-9	tetrahydrofuran	70-100 %
	203-726-8	603-025-00-0
		01-2119444314-46
	Flam. Liq. 2, Carc. 2, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, STOT SE 3; H225 H351 H302 H319 H335 H336 EUH019	

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
109-99-9	203-726-8	tetrahydrofuran	70-100 %
		Eye Irrit. 2; H319: >= 25 - 100 STOT SE 3; H335: >= 25 - 100	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Have victim drink large quantities of water, with active charcoal if possible. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Following eye contact: Causes serious eye irritation.

Following inhalation: May cause respiratory irritation.

After Ingestion: Harmful if swallowed.

Headache. Drowsiness. Dizziness.

Suspected of causing cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Extinguishing powder. Water spray. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours are heavier than air and will spread at floor level.

Possible ignition over greater distances. Thermal decomposition can lead to harmful gases and vapours. May form explosive peroxides.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 4 of 12

Provide adequate ventilation. Keep away from sources of ignition - No smoking. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal precautions: refer to section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.

7.3. Specific end use(s)

sealant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
109-99-9	Tetrahydrofuran	50	150		TWA (8 h)	WEL
		100	300		STEL (15 min)	WEL

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 5 of 12

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
109-99-9	tetrahydrofuran		
Consumer DNEL, long-term	oral	systemic	1,5 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	12,6 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	1,5 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	96 mg/m ³
Worker DNEL, acute	inhalation	local	300 mg/m ³
Worker DNEL, long-term	inhalation	systemic	72,4 mg/m ³
Worker DNEL, long-term	inhalation	local	150 mg/m ³
Consumer DNEL, acute	inhalation	systemic	52 mg/m ³
Consumer DNEL, acute	inhalation	local	150 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	13 mg/m ³
Consumer DNEL, long-term	inhalation	local	75 mg/m ³

PNEC values

CAS No	Substance	
Environmental compartment	Value	
109-99-9	tetrahydrofuran	
Freshwater	4,32 mg/l	
Marine water	0,432 mg/l	
Freshwater sediment	23,3 mg/kg	
Marine sediment	2,33 mg/kg	
Micro-organisms in sewage treatment plants (STP)	4,6 mg/l	
Soil	2,13 mg/kg	

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.
Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Eye/face protection

Tightly fitting safety glasses with side shields.

Hand protection

Protect skin by using skin protective cream. Wear suitable gloves.
When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Suitable material: Butyl rubber.
Thickness of glove material:: 0,7 mm

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

Use protective filter mask in case of short-term and low exposure; in case of intense or longer exposure, use respiratory protection device operating independently from circulating air.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 6 of 12

Respirator with combination filter for vapour and particles. Filter type A-P2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	paste-like
Colour:	various
Odour:	like: Ether

Test method

pH-Value: not determined

Changes in the physical state

Melting point: *-108,5 °C

Initial boiling point and boiling range: *65,5 °C

Flash point: *-20 °C

Flammability

Gas: not determined

Explosive properties

The product is not explosive, however, formation of explosive mixtures are possible.

Lower explosion limits: *1,5 vol. %

Upper explosion limits: *12,0 vol. %

Ignition temperature: *212 °C DIN 51794

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

not determined

Vapour pressure: *217 hPa
(at 20 °C)

Density (at 20 °C): *0,8892 g/cm³

Water solubility: *completely miscible

Partition coefficient: not determined

Viscosity / dynamic: not determined
(at 20 °C)

Viscosity / kinematic: not determined

Vapour density: not determined

Solvent content: ca. 80 %

9.2. Other information

*The data refer to "tetrahydrofuran"

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

Avoid contact with oxidizing agents.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 7 of 12

In the presence of oxygen and light: May form explosive peroxides.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxygen. Oxidizing agents, strong.

10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

In case of fire: It may produce hazardous fumes like carbon monoxide or carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 561,8 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
109-99-9	tetrahydrofuran				
	oral	LD50 mg/kg 1650	Rat		
	dermal	LD50 mg/kg >2000	Rat		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (tetrahydrofuran)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (tetrahydrofuran)

May cause drowsiness or dizziness. (tetrahydrofuran)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

In a two-year study, the application of tetra hydrofuran in high doses led to tumors in the liver of female mice and the kidney of male rats. The significance of this findings for the human health is not clear.

Further information

The product is skin resorptive.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 8 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
109-99-9	tetrahydrofuran					
	Acute fish toxicity	LC50 mg/l	2160	96 h	Pimephales promelas (fathead minnow)	
	Acute crustacea toxicity	EC50 mg/l	5930	48 h	Daphnia magna	
	Algae toxicity	NOEC mg/l	3700	8 d	green alga	

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
109-99-9	tetrahydrofuran	0,45

BCF

CAS No	Chemical name	BCF	Species	Source
109-99-9	tetrahydrofuran	3,16		EPIWIN BCFBAF V.3.00

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations. Do not dispose with household waste.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 9 of 12

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 2056
14.2. UN proper shipping name: TETRAHYDROFURAN
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 33
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 2056
14.2. UN proper shipping name: TETRAHYDROFURAN
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 2056
14.2. UN proper shipping name: TETRAHYDROFURAN
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Marine pollutant: Nein
 Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2056
14.2. UN proper shipping name: TETRAHYDROFURAN
14.3. Transport hazard class(es): 3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 10 of 12

14.4. Packing group:

II

Hazard label:

3



Limited quantity Passenger:

1 L

Passenger LQ:

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger:

353

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

364

IATA-max. quantity - Cargo:

60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC):

ca. 80%

Additional information

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

tetrahydrofuran

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 11 of 12

Changes

- Version 1,00 - Creation - 02.06.2014
- Version 1,01 - Classification/Labeling according Regulation No.1272/2008 (GHS/CLP) and general revision - 21.07.2015
- Version 1,02 - General update - 26.08.2016
- Version 1,03 - General update - 21.01.2021

Abbreviations and acronyms

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act
- CAS: Chemical Abstracts Service
- DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)
- EC: Effective Concentration
- EG: European Community (Europäische Gemeinschaft)
- EN: European Norm
- IATA: International Air Transport Association
- IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Code for Dangerous Goods
- ISO: Norm of the International Standards Organization
- CLP: Classification, Labeling, Packaging
- IUCLID: International Uniform Chemical Information Database
- LC: Lethal concentration
- LD: Lethal dose
- log Kow: Octanol/water partition coefficient
- MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
- OECD: Organisation for Economic Co-operation and Development
- PBT: Persistent, bio-cumulative, toxic
- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
- TRGS: Technische Regeln für Gefahrstoffe
- UN: United Nations
- VOC: Volatile Organic Compounds
- vPvB: very persistent and very bio-cumulative
- WGK: German Water Hazard Class
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- TLV: Threshold Limiting Value
- STOT: Specific Target Organ Toxicity
- AwSV: Ordinance on Installations for Handling Substances Hazardous to Water

Relevant H and EUH statements (number and full text)

- | | |
|--------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| EUH019 | May form explosive peroxides. |

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Revision date: 21.01.2021

Product code: FDT-017

Page 12 of 12

guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

assesso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@assesso.eu, www.assesso.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)